ELSEVIER

Discrete Mathematics 170 (1997) 299–300

DISCRETE MATHEMATICS

Author index to volume 170 (1997)

Ananchuen, N. and L. Caccetta, Matching extension and minimum degree (1–3) 1– 13
Barcucci, E., A.D. Lungo, S. Fezzi and R. Pinzani, Nondecreasing Dyck paths and q-Fibonacci numbers (*Note*) (1–3) 211–217
Bennett, F.E. and R. Wei, The existence of Schröder designs with equal-sized holes (1–3) 15– 28
Bernstein, M., N.J.A. Sloane and P.E. Wright, On sublattices of the hexagonal lattice (1–3) 29– 39
Böhme, T., H.J. Broersma, F. Göbel, A.V. Kostochka and M. Stiebitz, Spanning trees with pairwise nonadjacent endvertices (*Note*) (1–3) 219–222
Bollobás, B. and A.D. Scott, Independent sets and repeated degrees (1–3) 41– 49
Bouchemakh, I. and K. Engel, The order-interval hypergraph of a finite poset and the König property (1–3) 51– 61
Broersma, H.J., see T. Böhme (1–3) 219–222
Caccetta, L., see N. Ananchuen (1–3) 1– 13
Chang, C.-C., see C. Chen (1–3) 223–230
Chang, G.J., see C. Chen (1–3) 223–230
Chartrand, G., H. Hevia, E.B. Jarrett and M. Schultz, Subgraph distances in graphs defined by edge transfers (1–3) 63– 79
Chen, C., C.-C. Chang and G.J. Chang, Proper interval graphs and the guard problem (*Note*) (1–3) 223–230
Chen, G., R.H. Schelp and W.E. Shreve, A special k-coloring for a connected k-chromatic graph (*Note*) (1–3) 231–236
Chernyak, Zh.A., see A.A. Chernyak (1–3) 237–240
Chernyak, A.A. and Zh.A. Chernyak, r-Multihypergraphs with prescribed edge degree sequences (*Note*) (1–3) 237–240
Coulson, D., An 18-colouring of 3-space omitting distance one (*Note*) (1–3) 241–247
Crippa, D. and K. Simon, q-distributions and Markov processes (1–3) 81– 98
Deogun, J.S., D. Kratsch and G. Steiner, 1-Tough cocomparability graphs are hamiltonian (1–3) 99–106
Ding, K., Rook placements and cellular decomposition of partition varieties (1–3) 107–151
Engel, K., see I. Bouchemakh (1–3) 51– 61
Erdős, P. and L. Pyber, Covering a graph by complete bipartite graphs (*Note*) (1–3) 249–252
Fezzi, S., see E. Barcucci (1–3) 211–217
Göbel, F., see T. Böhme (1–3) 219–222
Gravier, S., Hamiltonicity of the cross product of two Hamiltonian graphs (*Note*) (1–3) 253–252
Hevia, H., see G. Chartrand (1–3) 63– 79
Jarrett, E.B., see G. Chartrand (1–3) 63– 79
Kostochka, A.V., see T. Böhme (1–3) 219–222
Kratsch, D., see J.S. Deogun (1–3) 99–106
Krivelevich, M., Almost perfect matchings in random uniform hypergraphs (*Note*) (1–3) 259–263
Li, Y. and C. Rousseau, On the Ramsey number (*Note*)$r(H + \overline{K_n}, K_n)$ (*Note*) (1–3) 265–267
Li, Y., C.C. Rousseau and L. Šoltés, Ramsey linear families and generalized subdivided graphs (*Note*) (1–3) 269–275
Lipták, L., Sperner systems containing at most k sets of every cardinality (*Communication*) (1–3) 203–209
Liu, J. and H. Zhou, Maximum induced matchings in graphs (*Note*) (1–3) 277–281

Lungo, A.D., see E. Barcucci (1–3) 211–217
Mahjoub, A.R., On perfectly two-edge connected graphs (1–3) 153–172
McDougal, K., A generalization of Ryser's theorem on term rank (*Note*) (1–3) 283–288
Miller, W.P., Techniques in matroid reconstruction (1–3) 173–183
Neumann-Lara, V., Vertex critical 4-dichromatic circulant tournaments (*Note*) (1–3) 289–291
Pinzani, R., see E. Barcucci (1–3) 211–217
Pyber, L., see P. Erdős (1–3) 249–252
Rousseau, C., see Y. Li (1–3) 265–267
Rousseau, C.C., see Y. Li (1–3) 269–275
Schelp, R.H., see G. Chen (1–3) 231–236
Schultz, M., see G. Chartrand (1–3) 63– 79
Scott, A.D., see B. Bollobás (1–3) 41– 49
Shreve, W.E., see G. Chen (1–3) 231–236
Simon, K., see D. Crippa (1–3) 81– 98
Sloane, N.J.A., see M. Bernstein (1–3) 29– 39
Snevily, H.S., New families of graphs that have α-labelings (1–3) 185–194
Šoltés, L., see Y. Li (1–3) 269–275
Steiner, G., see J.S. Deogun (1–3) 99–106
Stiebitz, M., see T. Böhme (1–3) 219–222
Wei, R., see F.E. Bennett (1–3) 15– 28
Wei, B., Longest cycles in 3-connected graphs (1–3) 195–201
Wright, P.E., see M. Bernstein (1–3) 29– 39
Zamfirescu, C., Cyclic and cliquewise connectedness of line graphs (*Note*) (1–3) 293–297
Zhou, H., see J. Liu (1–3) 277–281